

# **Product Compliance Datasheet**

MARKETING NAME..... Precision 5540, Dell Precision 5540

REGULATORY MODEL...... P56F

REGULATORY TYPE..... P56F003

EMC EMISSIONS CLASS......: B

**EFFECTIVE DATE......** June 21, 2019

# Table of contents

l.	Statement of Compliance	2
II.	Global Environmental Information	3
III.	Declaration of Similarity	3
IV.	Power Cords and User Documentation	4
V.	Trade (Import/Export) Compliance Data	4
VI.	Product Dimensions and Weight	4
VII.	Performance Data	
VIII.	Product Materials Information	4
IX.	Packaging	6
X.	Batteries	
XI.	Design for Environment	6
XII.	Recycling / End-of-Life Service Information	
XIII.	Helpful Links	7
Α	Appendix A: ErP Lot 3 Product Energy Consumption Information	8
В	Appendix B: ErP Lot 26 Network Standby Energy Consumption Information	10





## I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments.
   Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. https://www.dell.com/ErP User Information. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab http://www.dell.com/support. Additional compliance documentation for the product is available upon email request to product compliance@dell.com. Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.



## II. Global Environmental Information

Environmental (Voluntary Marks)						
Country Approval Compliance						
Global	ENERGY STAR (Configuration Dependent)	7.1				
Global	TCO Certified	TCO generation 8				
Varies by Country See EPEAT.net	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and				
		countries				

Adapter Certification and Declarations			
Country Authority/Mark			
Australia/New Zealand	Australia/NZ MEPS		
Canada	NRCan		
US – California Energy Commission	Adapter & Battery Charger		
European Union	Regulation EC No 278/2009		
South Korea	South Korea MEPS		

# III. Declaration of Similarity

Object of the Declaration			
Product Type Portable Computer			
Regulatory Model Number P56F			
Regulatory Type Number	P56F003		
Trade Name/ Trade Mark	DELL		
Marketing Name(s)	Precision 5540, Dell Precision 5540		

Dell Inc. herby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trade Mark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	June 21, 2019	Dell Inc.
Title	Dell Global Product Compliance and Environmental Affairs	Compliance and Environmental Affairs



### IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

# V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <a href="http://www.dell.com/learn/us/en/uscorp1/import-export">http://www.dell.com/learn/us/en/uscorp1/import-export</a> or send email request to <a href="https://www.dell.com/learn/us/en/uscorp1/import-export">www.dell.com/learn/us/en/uscorp1/import-export</a> or send email request to <a href="https://www.dell.com/learn/us/en/uscorp1/import-export">www.dell.com/learn/us/en/uscorp1/import-export</a> or send email request to <a href="https://www.dell.com/learn/us/en/uscorp1/import-export">www.dell.com/learn/us/en/uscorp1/import-export</a> or send email request name, regulatory model, regulatory type and country that compliance information is needed in the email request.

## VI. Product Dimensions and Weight

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
235	357	17	2.5 Kg (depending upon installed options)

## VII. Performance Data

ErP Lot 3 & Lot 26 information is in Appendices A and B, respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: Reducing your Footprint

For additional information on ENERGY STAR models refer to the following database: <u>ENERGY STAR Product Finder</u>

The battery[ies] in this product cannot be easily replaced by users themselves.

## VIII. Product Materials Information

Information on Dell's material use is available here.

Dell's Restricted Material for Use guidance document is available here.

- The case material is Aluminum, >PBT+30% GF<
- This product contains 0% post-consumer recycled plastic and /or closed loop recycled plastics (ITE-derived)\*

(\*Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)



Mechanical plastic parts <sup>1</sup> > 25 g are BFR/PVC free	
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	⊠ Yes □ No □ NA
Printed circuit boards (without components) >25g are BFR PVC free <sup>2</sup>	Yes □ No □ NA
Insulation materials of external electrical cables are PVC free	☐ Yes ☒ No ☐ NA
Insulation materials of internal electrical cables are PVC free	⊠Yes □ No □ NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	⊠ Yes □ No

#### Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	DOPO

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R- Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
PCCGCFV0 >PC-CF, GF FR(25)<		FR(25)	Aliphatic Fluorinated Compounds	N/A
16EDU	>EP-CF(70) FR(40)<	FR(40)	Organo Phosphate	N/A

#### **Mercury Information**

Number of bulbs	Average per bulb		
0	NA		

#### Additional information:

- RoHS and REACH declaration see Materials Restricted Material Compliance section at: www.dell.com/environmental\_information
- Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation

Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



Product Compliance Datasheet | ENV0023 | AXX Dell, Inc. www.dell.com

<sup>1</sup> Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

# IX. Packaging

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found <u>here</u>.

Packaging Materials	Total Weight,	Sustainable Material Content[1] (e.g Recycled content *,bio-based, Sustainable Forested materials)		% Sustainable Mat	
rackaging waterials	(g)			DAO region	EMEA region
Corrugated Fiberboard	486	Recycled Content	Min 35%	Min 35%	Min 35%
HDPE (including thermoformed) *	93.1	Recycled Content	0-80%	0-80%	0%

## X. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery	Туре	Battery Weight (kg)
ML1220 coin cell	Lithium		0.00091
Rechargeable Battery 3 cell	Lithium I	on	0.254
Rechargeable Battery 6 cell	Lithium I	on	0.367

# XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes please visit <a href="https://www.dell.com/learn/us/en/uscorp1/dell-environment?s=corp">https://www.dell.com/learn/us/en/uscorp1/dell-environment?s=corp</a>.

# XII. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit <a href="www.dell.com/recyclingworldwide">www.dell.com/recyclingworldwide</a> and select the relevant country.



## XIII. Helpful Links

#### • Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

#### • Environment Website

https://www.dell.com/learn/us/en/uscorp1/dell-environment?s=corp

#### Corporate Social Responsibility Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

#### • ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

#### Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted materials guid.pdf

#### Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

#### • Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment carbon footprint products

#### • RoHS Compliance

https://www.dell.com/learn/us/en/uscorp1/envt-info-materials

#### REACH Compliance

www.dell.com/REACH

#### Recycling Information

- http://www.dell.com/recycling
- Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx



# Appendix A: ErP Lot 3 Product Energy Consumption Information

#### European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small-Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for

products that are out of scope of ErP Lot 3 for informational purposes only.			
2.4	2.5		
8	4		
64	32		
<b>G</b> 5	Integrated		
Category C	Category A		
б4	32		
24	11.2		
Ad	lders		
Yes	No		
3.00	0.00		
<b>G</b> 5	Integrated		
27.00	0.00		
	2.4  8  64  G5  Category C  64  24  Ac  Yes  3.00  G5		

Storage Adder	3.00	0.00
1st Discrete Graphics Card?	<b>G</b> 5	Integrated
1st Discrete Graphics Adder	27.00	0.00
2nd Discrete Graphics Card?	<b>G</b> 5	N/A
2nd Discrete Graphics Adder	16.00	0.00
Discrete Television Turner Card?	No	No
Discrete TV Turner Card Adder	0.00	0.00
Category	Category C	Category A
Processor Speed in GHz	2.4	2.5
Number of Cores	8	4
Total Installed System Memory in GB	64	32
Graphics	G5	Integrated.
WOL enabled in "Sleep" Mode	No	No
WOL enabled in "Off" Mode	No	No
As Tested: Lowest Power State	0.39	0.38
As Tested: Poff(W) WOL Disabled	0.39	0.38
As Tested: Poff(W) WOL Enabled		
As Tested: Psleep(W) WOL Disabled	1.66	1.51
As Tested: Psleep(W) WOL Enabled		
As Tested: Pidle(W)	4.36	3.75
Base TEC Limit (kWh)	60.50	27
TEC Adders Limit (kWh)	70.00	11.20
Base + Adders TEC Limit (kWh)	130.50	38.20
Results TEC	14.96	13.18



Power Supply Model #	Internal or External	Link to efficiency report
DA130PM130	External	http://oee.nrcan.gc.ca/pml- lmp/index.cfm?action=app.formHandler&operation=details- details&ref=8954086&appliance=EPS&nr=1
HA130PM130	External	http://oee.nrcan.gc.ca/pml- lmp/index.cfm?action=app.formHandler&operation=details- details&ref=8088272&appliance=EPS&nr=1

<sup>\*</sup> Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

#### Energy Consumption<sup>3</sup>

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <a href="here">here</a> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <a href="here">here</a>.

Declared Noise Emissions in accordance with ISO 9296. Testing performed in accordance with ISO 7779 at operating modes defined by ECMA 74. Your product may perform differently, depending on the software, components and peripherals you ordered. No warranty as to accuracy or completeness is expressed or implied.

**Computers Category A:** 

Service Level	Sound Power Declared mean A- weighted level	Statistical adder for verification	Sound Pressure Declared mean A- weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
HDD Accessing	2.8	0.3	24.5
ODD Accessing	NA	NA	NA
Idle	2.5	0.3	22.4

**Computers Category A:** 

Compaters Category A.			
Service Level	Sound Power	Statistical adder for verification	Sound Pressure
	Declared mean A-		Declared mean A-
	weighted level		weighted emission level
	L <sub>WA,m</sub> (B)	K <sub>V</sub> (B)	L <sub>pA,m</sub> (dB)
HDD Accessing	2.7	0.3	24.4
ODD Accessing	NA	NA	NA
Idle	2.5	0.3	22.3

<sup>&</sup>lt;sup>3</sup> This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit <a href="https://www.dell.com/learn/us/en/uscorp1/dell-environment">https://www.dell.com/learn/us/en/uscorp1/dell-environment</a>



# B Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

#### European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

Network Standby Classification	LoNA	
Off/Standby - Watts	0.39	
Network Standby - Watts	4.76	
Number of Network Ports	0	
Location of 'Physical' Network Ports	Wireless	
Network Port Type	NA	
Network Port(s) Activated or Deactivated	Network Port(s) "Deactivated"	
Network Port Maximum Performance in GB/s	1000	
Communication protocol used by equipment	Ethernet - TCPIP	
Description of how to assert Network Standby Mode		
Sequence of events to trigger automatic assertion of Network Standby		
Mode	1.6 (; 311.6	
Notes regarding operation of the equipment EX: how the user switches	Information available @	
the equipment into network standby	www.dell.com/regulatory_compliance	
Default time for PM function to switch equipment into this mode	and/or	
Inactivity time required to enter Network Standby	www.dell.com/support	
Re-activation trigger		
Measurement Method		

